THE PERFECT PARTNER FOR YOUR FILE? CHALLENGE ACCEPTED.





X-Smart® Pro+

Endo Motor with Integrated Apex Locator

Shaping • Cleaning • Obturation



With up to 7.5 N·cm and 3,000 rpm, the X-Smart Pro+ endo motor optimizes performance of Dentsply Sirona's endodontic file systems in both continuous rotation and reciprocating modes.

Our integrated apex locator gives you confidence for an accurate shaping experience. And the touchscreen interface provides easy access to ideal settings for the files you choose, with upgradeable firmware to accommodate tomorrow's treatments.



BETTER TOGETHER.

Dentsply Sirona's endo file systems **perform significantly better*** when paired with the X-Smart® Pro+ motor.

WaveOne® Gold





Fine-tuned reciprocating motion

for WaveOne® Gold and RECIPROC® family of files, with precise angulation, acceleration and speed for simplicity, safety and reliability.

ProTaper Ultimate™





ABUNDANT POWER

Dedicated power and torque for optimal performance across a full range of anatomies with ProTaper Ultimate™ and VDW.ROTATE® files.

TruNatomy®





PRECISE SPEED CONTROL AT LOW TORQUE

Constant, stable speed control at low torque for improved procedural control with TruNatomy® files, supporting structural dentin preservation.








In **rotary** motion, the X-Smart® Pro+ reaches the apex

14% faster*

RESPONSIVE CONTROL.

A quality file matters.
Wouldn't a quality motor matter too?

Our patented brushless DC motor control **responds to torque loads faster than competitors.*** Stabilizing the motion ensures optimal file performance.





"We always talk about the file, but the motor is very important. It needs to respond to the different challenges with a rapid stabilization time for the file to constantly perform at its best."

> Dr. Sarah Attal, DDS, Endodontist DS Endo KOL

During lab testing, 37.5% of competitors tested using a reciprocating motion encountered ledging, fracture or unwinding.*

Internal data on file. For more information, contact Consumables-Data-Requests@dentsplysirona.com



When shaping canals, you want to reach the apex precisely, as efficiently and safely as possible.

Our Dynamic Accuracy™
technology allows
for direct length
determination while
actively shaping,
with auto-reverse
function to keep
your file on your
desired target.

EFFICIENT PRECISION.





"The X-Smart® Pro+ with integrated apex locator helps me organize my table and simplify my workflow. And when I pair it with my preferred sequence, ProTaper Ultimate™, I can use the slider for the initial route, canal scouting, gaining working length, and creating a glide path. It is the optimal setup."

Pr Laura Andriukaitiese DDS Endedetict

Dr. Laura Andriukaitiene, DDS, Endodontist DS Endo KOL



COMPLETE FOCUS.

The X-Smart® Pro+ Endo Motor keeps you **focused on the procedure, not on the tools.** A streamlined workflow helps you do your best work.



ERGONOMIC DESIGN

Battery power to support a full day of work

Portable convenience with the power and functions of a tabletop unit

Drag and drop magnetic ——holder for enhanced comfort, reduced fatigue







REMOVABLE/AUTOCLAVABLE HANDPIECE METAL SHEATH

Comply with the latest infection control guidelines

Reduces waste, making handpiece barrier sleeves obsolete



Technical Specifications

- · Reciprocating and rotary motions
- · Includes file library with preset programs for WaveOne® Gold, ProTaper Ultimate™, TruNatomy® endodontic file systems
- Customizable file sequences, compatible with other endodontic files and instruments
- Auto-reverse rotation at preset torque limit and at doctor's desired working length
- On/Off button on the motor handpiece or optional wireless footswitch
- Calibration function (CAL) for precise torque setting
- 7" touchscreen interface

- Mini contra-angle with integrated 10-Lumen LED
- 360° adjustable position
- · Lithium-ion battery
- Autonomous operation through a full day of work*
- Fully recharged in only 1.5 hour
- Motor can be run on battery only or can be recharged during treatment
- Universal charger (voltage 110-240, 50/60 Hz)
- Torque range: 0.2 N·cm 7.5 N·cm
- Speed range: 100 rpm 3,000 rpm
- Fully autoclavable handpiece sheath and contra-angle
- Upgradeable via Wi-Fi

Product Reference



X-Smart* Pro+ Endo Motor with 6779016 Integrated Apex Locator

X-Smart® Pro+ Endo Motor with Integrated Apex Locator, Mini Contra Angle with Integrated LED, 360° Adjustable Postion Stainless Steel Handpiece Sheath, Magnetic Handpiece Holder Accessories Box (charger with universal power adapters), Lip Clip, File Clip, Y-Connector Cable

6779008 X-Smart® Pro Endo Motor

X-Smart® Pro Endo Motor only, Mini Contra Angle with Integrated LED, 360° Adjustable Position Stainless Steel Handpiece Sheath, Magnetic Handpiece Holder, Accessories Box (Charger with universal power adapters)

6794536	X-Smart Pro+/Pro 5:1 contra-angle
6793462	X-Smart Pro+/Pro 5:1 contra-angle + handpiece sheath
6752401	X-Smart Pro+/Pro handpiece
6793439	X-Smart Pro+/Pro handpiece sheath
6770601	X-Smart Pro+/Pro handpiece holder
6793496	X-Smart Pro+/Pro battery (rechargeable)
6793512	X-Smart Pro+/Pro power supply (charger and cable)
6781798	X-Smart Pro+ Y-connector cable
6781806	X-Smart Pro+ file clip, 2 pieces
6781772	X-Smart Pro+ lip clip, 5 pieces
6779388	X-Smart Pro+/Pro wireless footswitch
6793538	X-Smart Pro+/Pro lubrication adapter
6793736	X-Smart Pro+/Pro adapter for DAC universal



B 00 XSP0 W1G KIT

B 00 XSPP W1G KIT



B 00 XSPO PTL KIT

X-Smart® Pro ProTaper Ultimate™ AH Plus Jet® Root Canal Sealer

B 00 XSPP PTL KIT

X-Smart® Pro+ ProTaper Ultimate™ AH Plus Jet® Root Canal Sealer



B OO XSPO TNO KIT

AH Plus Jet® Root Canal Sealer

B OO XSPP TNO KIT

AH Plus Jet® Root Canal Sealer



Sirona Dental Systems GmbH Fabrikstraße 31 64625 Bensheim

©2023 Dentsply Sirona. All rights reserved.

